

ATTENTION-OWNER: Confidentiality  
Privilege Notice on Reverse Side

STATE OF TEXAS  
WATER WELL REPORT

1) OWNER: WILDWOOD SHORES WP #1 ADDRESS: 300 WEST DAVIS CITY: CONROE STATE: TX ZIP: 77301-

2) ADDRESS OF WELL:

County: WALKER GRID #  
Street or RFD: REVIEW LOG #912053  
City, State, Zip code: TX -

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: PUBLIC SUPPLY

If Public Supply well, were plans submitted to the TNRCC? No

6) WELL LOG: 02898

DIAMETER OF HOLE

7) DRILLING METHOD:

8) BOREHOLE COMPLETION:

DATE DRILLING:	DIAMETER	FROM	TO	DRILLING METHOD:	BOREHOLE COMPLETION:
STARTED: 03/15/00	9 3/4	0	755	MUD ROTARY	STRAIGHT WALL
COMPLETED: 03/28/00	6 1/2	755	805		IF GRAVEL... FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
6	N	GALV.	0	755	
6X4	N	BP SEAL	742		
4	N	GALV.	742	755	
4	N	PIPE BASE	755	785	.014
4	N	DOWN HOLE ASSEMBLY	785	805	✓

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	1	TOPSOIL
0	1	TOPSOIL
1	68	CLAY
68	74	SAND
74	120	CLAY
120	126	SAND AND CLAY
126	257	SAND
257	285	CLAY
285	295	SAND
295	305	CLAY
305	365	SAND W/CLAY STREAKS
365	420	SAND AND SHALE
420	512	SAND AND SHALE
512	548	SAND
548	552	HARD ROCK

9) CEMENTING DATA:

Cemented from 0 FT. TO 755 FT. No. of Sacks Used 130  
FT. TO FT.  
Method used: HALIBURTON METHOD  
Cemented by: WEISINGER WATER WELL  
Distance to septic field lines: ft.  
Method of verification of above distance:

10) SURFACE COMPLETION:

APP. ALTER. PROCD.

11) WATER LEVEL:

STATIC LEVEL : 32 FT. DATE: 03/28/00  
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
BP SEAL	742

13) TYPE PUMP:

SUBMERSIBLE

DEPTH TO PUMP:

14) WELL TEST:

JETTED

YIELD: 400 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:

TYPE OF WATER: EXCELLENT

DEPTH OF STRATA: 765-787

NO CHEMICAL ANALYSIS MADE

NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: WEISINGER WATER WELL, INC

WATER WELL DRILLER'S LICENSE NO.: 1541,1991, & 1992

FOR TWC USE ONLY

ADDRESS: 2200 EAST DAVIS

CITY: CONROE

STATE: TX ZIP CODE:

WELL NO.

LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed)

*John E. Weisinger*  
(LICENSED WATER WELL DRILLER)

FILE ID

(signed)

SEQ #

(REGISTERED DRILLER TRAINEE)

EMP #

AUG 22 2000

DESC CO

COMMENT

60-27-6

X

OWNER: WILDWOOD SHORES WP #1

ADDRESS: 300 WEST DAVIS

CITY: CONROE

STATE: TX ZIP: 77301-

552	565 SAND AND SHALE
565	590 CLAY
590	629 FINE SAND SHALE
629	643 SAND
643	645 CLAY
645	665 SAND
665	685 SAND AND SHALE
685	765 CLAY
765	787 SAND
787	805 CLAY

FILE ID	SEQ #
CMP #	DESC CO
AUG 22 2000	
COMMENT	

60-27-6

Send original copy by  
certified mail to the  
Texas Water Development Board  
P. O. Box 12386  
Austin, Texas 78711

State of Texas

## WATER WELL REPORT

For TWDB use only  
Well No. 60-27-6A  
Located on map 705  
Received: 70  
Form GW 8  
Form GW 9

1) OWNER:  
Person having well drilled RICHARD BEDFORD Address BOX 374 NEW WAVERLY  
(Name) (Street or RFD) (City) (State)  
TEX.  
Landowner \_\_\_\_\_ Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County MILAM Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_  
NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  of Section \_\_\_\_\_ Block No. \_\_\_\_\_ Survey \_\_\_\_\_  
(Circle as many as are known)

miles in 10 N.W. direction from NEW WAVERLY  
(NE, SW, etc.) (Town)

F.M. 190. 1375

NORTH

New Waverly

1375

8 mi

2 mi

Sketch map of well location with distances from adjacent section  
or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):  
New Well ☒ Deepening ☐  
Reconditioning ☐ Plugging ☐  
4) PROPOSED USE (Check):  
Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐  
5) TYPE OF WELL (Check):  
Rotary ☒ Driven ☐ Dug ☐  
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:  
Diameter of hole 4 1/2 in. Depth drilled 470 ft. Depth of completed well 94 ft. Date drilled \_\_\_\_\_  
All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>10</u>	<u>SAND</u>
<u>10</u>	<u>45</u>	<u>CLAY</u>
<u>45</u>	<u>104</u>	<u>RED SAND</u>
<u>104</u>	<u>470</u>	<u>CLAY</u>

From (ft.)	To (ft.)	Description and color of formation material

(Use reverse side if necessary)

7) COMPLETION (Check):  
Straight wall ☒ Gravel packed ☐ Other ☐  
Under reamed ☐ Open hole ☐

8) WATER LEVEL:  
Static level 37 ft. below land surface Date 6-25-69  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

9) CASING:  
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

10) SCREEN:  
Type \_\_\_\_\_  
Perforated ☐ Slotted ☒

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
<u>3"</u>	<u>0</u>	<u>84'</u>	

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
<u>3"</u>	<u>84</u>	<u>94</u>	<u>12</u>

## 11) WELL TESTS:

Was a pump test made? ☐ Yes ☒ No If yes by whom?

Yield: 12 gpm with 119 ft. drawdown after \_\_\_\_\_ hrs

Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs

Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_

Temperature of water \_\_\_\_\_

Was a chemical analysis made? ☐ Yes ☒ No

Did any strata contain undesirable water? ☐ Yes ☒ No

Type of water? \_\_\_\_\_ depth of strata 59'

## 12) PUMP DATA:

Manufacturer's Name BEDA

Type SUB H.P. 1/2

Designed pumping rate 7 gpm ☒ gph ☐

Type power unit \_\_\_\_\_

Depth to bowls, cylinder, jet, etc., 84' ft.  
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that  
each and all of the statements herein are true to the best of my knowledge and belief.

NAME L. M. Patterson  
(Type or Print)

Water Well Drillers Registration No. 182

Address \_\_\_\_\_  
(Street or RFD) (City) (State)

(Signed) \_\_\_\_\_  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED

JAN 12 1970

TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED

MAY 11 1970

Central Records  
Texas Water Development Board

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER John Fuch (Name) Address FM 1374 (Street or RFD) New Waverly (City) TX (State) 777 (Zip)  
2) LOCATION OF WELL: County Walker 9 miles in West (N.E., S.W., etc.) direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☐ See attached map. on 60-19-6

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 3-24-86

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>184</u>
<u>4 1/2</u>	<u>184</u>	<u>198</u>

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>18</u>	<u>Clay</u>
<u>18</u>	<u>32</u>	<u>Sand</u>
<u>32</u>	<u>41</u>	<u>Clay</u>
<u>41</u>	<u>45</u>	<u>Rock</u>
<u>45</u>	<u>70</u>	<u>Clay</u>
<u>70</u>	<u>96</u>	<u>Clay &amp; Rock</u>
<u>96</u>	<u>110</u>	<u>Sand</u>
<u>110</u>	<u>135</u>	<u>Clay</u>
<u>135</u>	<u>160</u>	<u>Sand</u>
<u>160</u>	<u>180</u>	<u>Sand &amp; Rock</u>
<u>180</u>	<u>198</u>	<u>Sand</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4 N</u>	<u>DVC</u>		<u>0</u>	<u>184</u>	<u>40</u>
<u>2 N</u>	<u>Delo.</u>		<u>177</u>	<u>188</u>	<u>11</u>
<u>2 W</u>	<u>RBSS</u>		<u>188</u>	<u>198</u>	<u>12 ga</u>

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 184 ft.  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Method used Pressure  
Cemented by Weisinger

10) SURFACE COMPLETION  
☐ Specified Surface Slab Installed [Rule 319.44(c)]  
☐ Pitless Adapter Used [Rule 319.44(d)]  
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 69 ft. below land surface Date 3-24-86  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

13) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

14) WELL TESTS:  
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 40 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

RECEIVED  
JAN - 7 1987

TEXAS WATER COMMISSION

(Use reverse side if necessary)

5) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☐ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Weisinger Water Well, Inc. Water Well Driller's License No. 1541  
ADDRESS 2200 E. Davis (City) \_\_\_\_\_ (State) \_\_\_\_\_ (Zip) \_\_\_\_\_  
Conroe, Texas 77301  
(Signed) John E. Weisinger (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only  
Well No. 60-27-6  
Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.